

125th Anniversary Quilt

Celebrating the BERNINA 125th Anniversary!

AMANDA *AC* MURPHY



made to create **BERNINA**

jubilee: fabrics



Fabric A: 5490M-33 Paisley Gold
1-5/8 yards



Fabric B: Binding
5494M-07
1/2 yard



Fabric G: 5490-07
highlights only for
embroidered version
1/2 yard



Fabric C: Embroidered Cornerstone
Backgrounds 5497-03 Berries Butter
3/4 yard



Fabric D: Borders 5492P-07
Blender Cream 3-1/4 yards



Fabric E: Framework, Quilt Blocks (dark) &
Piping 5493P-33 Floral Gold 1-7/8 yards



Fabric F: Quilt Blocks (light) 5495M-07
Little Leaves Cream 3/4 yard

Jubilee Piecing Materials

Jubilee Fabric as specified

4-1/2 yards 42" wide backing fabric or 2-1/4 yards Jubilee 108" wide goods

Rotary cutter, mat, rulers and regular quilting supplies

1/4" foot (dual feed foot if possible)

80/12 quilting or topstitch needles

"Add-A-Quarter" ruler (optional)

8 yards 1/16" or 1/8" cord and #38 Piping foot (optional piping)

Marking tools of your choice

50 wt. 2026 Aurifil thread

Optional: (1) 24" Jubilee Embroidery Panel

This panel contains motifs that can be used as an applique alternative to the Jubilee embroidery motifs.


Optional Embroidery Materials:

- Jubilee Embroidery Designs
- Embroidery foot
- Metallic needles
- 4 spools Isacord 0721, used in both needle and bobbin
- Temporary spray adhesive
- HBFW-20 Fusible Woven Lining 20" x 5 yards
- HBT17-15 Ultra Clean & Tear 1.7 oz, 15" x 10 yd

Quilting Materials:


- #72 Adjustable Ruler foot
- Couching Insert for Ruler foot
- 125th Anniversary Ruler Set
- Topstitch or quilting needles
- EverSewn bamboo/cotton batting queen (2 layers optional)
- Jubilee Digital Quilting Designs
(optional for embroidery machines or Q-matic)
- Thread for quilting digital designs and bobbin thread for all metallic: Isacord 0721
- Couching around the blocks:
 - Isacord 0721 over
 - 1 spool Dazzle 1000
- 2 spools Hologram 8155 for paisley areas
- All other quilting: 2 spools Isacord 0101

jubilee



Jubilee quilt
65-1/2 "x 65-1/2 "

jubilee



Jubilee quilt with embroidering

Cutting Instructions:

Fabric A (Golden Paisley):

Cut 4 strips 3"x WOF. Subcut into 52 Fabric A squares 3"x 3".

Cut 10 more strips 3"x WOF. Set aside.

Fabric B (Binding):

Cut 7 strips 2-1/4"x WOF.

Fabric C (Cornerstones):

If incorporating the embroidery, cut 3 strips 7-1/2"x WOF. Subcut into 12 squares 7-1/2"x 7-1/2".

If opting out of the embroidery, cut 3 strips 6-1/2"x WOF. Subcut into 12 squares 6-1/2"x 6-1/2".

Fabric D (Border):

If incorporating the embroidery, cut 1 strip 14-3/4"x WOF. Subcut into 2 squares 14-3/4"x 14-3/4". Cut each square in half diagonally in one direction. These are your corner border triangles.

If opting out of the embroidery, cut 1 strip 13-3/4"x WOF. Subcut into 2 squares 13-3/4"x 13-3/4". Cut each square in half diagonally in one direction. These are your corner border triangles.

If incorporating the embroidery, cut 1 strip 19-1/2"x WOF. Subcut into 2 squares 19-1/2"x 19-1/2". Cut each square in half diagonally in each direction. These are your side border triangles.

If opting out of the embroidery, cut 1 strip 18-1/4"x WOF. Subcut into 2 squares 18-1/4"x 18-1/4". Cut each square in half diagonally in each direction. These are your side border triangles.

Cut 2 strips 6-1/2"x WOF. Subcut into 12 Fabric D squares 6-1/2"x 6-1/2".

Cut 7 strips 3-1/4"x WOF. Piece into 2 rectangles 3-1/4"x 60" and 2 rectangles 3-1/4"x 65-1/2".

Cut 1 strip 3"x WOF. Subcut into 8 squares 3"x 3".
Cut 4 more strips 3"x WOF. Set aside.

Fabric E (Blocks – dark, Piping, Framework):

For the Framework:

Cut 6 strips 4-1/2"x WOF. Subcut into 48 squares 4-1/2"x 4-1/2". (Cut 4 squares 3"x 3" and 1 rectangle 2-1/2"x 4-1/2" from the remainder of these strips and set just these pieces aside for the blocks.)

Cut 2 strips 4"x WOF. Subcut into 12 squares 4"x 4". (Cut 4 rectangles 3-1/2"x 2-3/4" and 7 squares 2-1/2"x 2-1/2" from the remainder of these strips and set just these pieces aside for the blocks.)

Cut 7 strips 1-1/2"x WOF.

For the Blocks:

Cut 1 strip 3-1/2"x WOF. Subcut into:

- 2 squares 3-1/2"x 3-1/2"
- 12 rectangles 3-1/2"x 2"

Cut 1 strip 2"x WOF. Subcut into:

- 12 squares 2"x 2"

Cut 3 strips 1-1/2"x WOF. Subcut into:

- 7 rectangles 1-1/2"x 2-1/2"
- 1 rectangle 1-1/2"x 3-1/2"
- 3 rectangles 1-1/2"x 4-1/2"
- 1 rectangle 1-1/2"x 5-1/2"
- 5 rectangles 1-1/2"x 6-1/2"
- 9 squares 1-1/2"x 1-1/2"

For the Piping:

Cut 7 strips 1-1/4"x WOF. Set aside.

Fabric F (Blocks – light):

Cut 1 strip 4-1/2"x WOF. Subcut into:

- 2 squares 4-1/2"x 4-1/2"

Trim the strip to a 3-1/2" width. Subcut into:

- 2 squares 3-1/2"x 3-1/2"
- 4 rectangles 3-1/2"x 2-3/4"

Cut 1 strip 3"x WOF. Subcut into:

- 4 squares 3"x 3"

jubilee

Cut 1 strip 2-1/2" x WOF. Subcut into:

- 14 squares 2-1/2" x 2-1/2"

Cut 3 strips 2" x WOF. Subcut into:

- 28 squares 2" x 2"
- 8 rectangles 2" x 3-1/2"

Cut 3 strips 1-1/2" x WOF. Subcut into:

- 1 square 1-1/2" x 1-1/2"
- 15 rectangles 1-1/2" x 2-1/2"
- 1 rectangle 1-1/2" x 3-1/2"
- 7 rectangles 1-1/2" x 4-1/2"
- 1 rectangle 1-1/2" x 5-1/2"
- 4 rectangles 1-1/2" x 6-1/2"

Fabric G (embroidery only – white highlights):

Cut into 4 rectangles 9" x 10" and 8 squares 4" x 4".

OESD Fusible Woven Stabilizer
(for embroidered quilt only):

Cut 2 squares 13" x 13" of OESD Fusible Woven stabilizer and cut each in half diagonally.

Cut 8 squares 6-3/4" x 6-3/4".

Cut 12 squares 4" x 4".

IMPORTANT NOTE:

The Jubilee Embroidery panel showcases the motifs included in the quilt and those motifs can be used in place of the embroidery. To do this, back the wrong side of the motifs on the panel with paper-backed, fusible web. Cut out and fuse to the background units in place of the embroidery. Back with tear-away stabilizer and use a blanket stitch to secure. Remove the stabilizer.

Embroidered Cornerstones

Hoop two layers of OESD Ultra Clean and Tear in a medium hoop.

Fuse a square 4" x 4" of OESD Fusible Woven stabilizer to the center of the wrong side of each of the Fabric C squares.

Mark the center point of the front of each square with chalk.

Select Design #80190-04_Modified from the Jubilee Quilt Folder.

Embroider the first color change of the design on the hooped Ultra Clean and Tear using Isacord 0721 in the bobbin and in the top of your machine. This is a crosshair for placement of your design.


Spray the wrong side of a Fabric C square with adhesive and stick it to the front of the hooped Ultra Clean and Tear, aligning the center point of the block on top of the embroidered cross hairs.

Embroider the second color change, which is a basting line.

Embroider the third color change, the medallion design.

Remove the design from the hoop. Tear off the Ultra Clean and Tear and cut away the excess Fusible Woven.

Repeat to make 12 embroidered blocks. Trim the blocks to squares 6-1/2" x 6-1/2", centering the embroidery motif.




NOTE: For Blocks A – M, press seams toward the darker fabric unless otherwise indicated.

Block A (Make 1)

You will need:

- 4 squares 2-1/2 "x 2-1/2 " light block fabric
- 5 squares 2-1/2 "x 2-1/2 " dark block fabric

Arrange the squares as shown on the right. Join the blocks into rows, pressing seams toward the darker fabric. Join the rows, pressing the seams open.



Block B (Make 1)

You will need:

- 4 rectangles $1\frac{1}{2}$ " x $2\frac{1}{2}$ " and 4 rectangles $1\frac{1}{2}$ " x $4\frac{1}{2}$ " light block fabric
- 8 squares $1\frac{1}{2}$ " x $1\frac{1}{2}$ " and 1 square $2\frac{1}{2}$ " x $2\frac{1}{2}$ " dark block fabric

Join a dark block fabric square $1\frac{1}{2}$ " x $1\frac{1}{2}$ " to both ends of 2 light block rectangles $1\frac{1}{2}$ " x $2\frac{1}{2}$ ", pressing seams toward the darker fabric.


Join the remaining 2 light block rectangles $1\frac{1}{2}$ " x $2\frac{1}{2}$ " to both sides of the dark block square $2\frac{1}{2}$ " x $2\frac{1}{2}$ ", pressing seams toward the darker fabric.

Arrange the rows as shown on the right. Join the rows pressing the seams open.

Join the 2 light block rectangles $1\frac{1}{2}$ " x $4\frac{1}{2}$ " to both sides of this unit, pressing seams toward the center of the unit.

Join a dark block fabric square $1\frac{1}{2}$ " x $1\frac{1}{2}$ " to both ends of 2 light block rectangles $1\frac{1}{2}$ " x $4\frac{1}{2}$ ", pressing seams toward the darker fabric.

Arrange the units as shown on the right. Join the rows, pressing the seams open.



Block C (Make 1)

NOTE: I pressed all seams open for this block.

You will need:

- 1 square 1-1/2 "x 1-1/2," 1 rectangle 1-1/2 "x 2-1/2," 1 rectangle 1-1/2 "x 3-1/2," 1 rectangle 1-1/2 "x 4-1/2," 1 rectangle 1-1/2 "x 5-1/2 "and 1 rectangle 1-1/2 "x 6-1/2 "light block fabric
- 1 square 1-1/2 "x 1-1/2," 1 rectangle 1-1/2 "x 2-1/2," 1 rectangle 1-1/2 "x 3-1/2," 1 rectangle 1-1/2 "x 4-1/2," and 1 rectangle 1-1/2 "x 5-1/2 "dark block fabric

Following the diagram on the right, join a light block fabric square 1-1/2 "x 1-1/2 " to the top of a dark block fabric square 1-1/2 "x 1-1/2 ":

Join a light block fabric rectangle 1-1/2 "x 2-1/2 " to the right side of this unit.

Join a dark block rectangle 1-1/2 "x 2-1/2 " to the top of this unit.

Join a dark block fabric rectangle 1-1/2 "x 3-1/2 " to the right side of this unit.

Join a light block rectangle 1-1/2 "x 3-1/2 " to the top of this unit.


Join a light block fabric rectangle 1-1/2 "x 4-1/2 " to the right side of this unit.

Join a dark block rectangle 1-1/2 "x 4-1/2 " to the top of this unit.

Join a dark block fabric rectangle 1-1/2 "x 5-1/2 " to the right side of this unit.

Join a light block rectangle 1-1/2 "x 5-1/2 " to the top of this unit.

Join a dark block fabric rectangle 1-1/2 "x 6-1/2 " to the right side of this unit.



Block D (Make 1)

You will need:

- 4 squares 2" x 2", 1 square 3-1/2" x 3-1/2" and 4 rectangles 2" x 3-1/2" light block fabric
- 8 squares 2" x 2" dark block fabric

Draw a diagonal line on the wrong side of each of the dark block fabric squares 2" x 2".





Place a dark block fabric square 2" x 2" on the right side of each of the 4 light block fabric rectangles 2" x 3-1/2", right sides together and orienting the diagonals as shown. Stitch right along the diagonal line, a hairline more toward the corner to accommodate fabric thickness. Trim seams to 1/4" and press open.

Place a dark block fabric square 2" x 2" on the left side of each of these units, right sides together and orienting the diagonals as shown. Stitch right along the diagonal line, a hairline more toward the corner to accommodate fabric thickness. Trim seams to 1/4" and press open.



Join a light block fabric square 2" x 2" to each end of two of these flying geese units, pressing seams toward the squares.

Join the remaining 2 flying geese units to each side of the light block fabric square 3-1/2" x 3-1/2", pressing seams toward the square.

Arrange the units as shown on the right. Join the rows, pressing the seams open.



Make 4



Block E (Make 1)




You will need:

- 4 rectangles 2-3/4" x 3-1/2" light block fabric
- 4 rectangles 2-3/4" x 3-1/2" dark block fabric




Using the template below, cut out 4 template shapes from both the light and dark fabric rectangles.

Join a light shape with a dark shape as shown on the right, pressing the seams open.

Arrange the units as shown on the right. Join the blocks into rows, pressing seams toward the darker fabric. Join the rows, pressing the seams open.



Make 4



Block F (Make 1)

You will need:

- 5 squares 2-1/2 "x 2-1/2 " and 2 squares 3"x 3 " light block fabric
- 2 squares 3"x 3" dark block fabric

Draw a diagonal line on the wrong side of the 2 dark block fabric squares.

Place these fabric squares over the light block fabric squares 3"x 3," right sides together. Sew 1/4" from each side of the drawn line. Cut on the drawn line and press the seams open. Trim all 4 half-square triangle blocks to 2-1/2"x 2-1/2 ":

Arrange the units as shown on the right. Join the blocks into rows, pressing seams toward the half-square triangles. Join the rows, pressing the seams open.

