Block G (Make 1)


You will need:


- 1 square 2-1/2"x 2-1/2," 2 squares 3"x 3" and 4 rectangles 1-1/2"x 2-1/2" light block fabric
- 2 squares 3"x 3" and 4 rectangles 1-1/2"x 2-1/2" dark block fabric

Make half-square triangles using the 2 light block fabric squares 3"x 3" and the 2 dark block fabric squares 3"x 3" as directed in the Block F instructions.

Join each light block fabric rectangle 1-1/2 "x 2-1/2" to a dark block fabric rectangle 1-1/2 "x 2-1/2," as shown on the right.

Arrange the units as shown on the right. Join the blocks into rows, pressing seams toward the half-square triangles. Join the rows, pressing the seams open.





Block H (Make 1)

You will need:

- 1 square 3-1/2 "x 3-1/2 " light block fabric
- 2 squares 4-1/2 "x 4-1/2 " light block fabric, cut in half diagonally
- 2 squares 3-1/2 "x 3-1/2" dark block fabric, cut in half diagonally


Join the dark block fabric triangles to the sides of the light block fabric square 3-1/2 "x 3-1/2," centering the triangles. Press the seams toward the triangles and trim their edges.

Join the dark block fabric triangles to the top and bottom of this unit, centering the triangles. Press the seams toward the triangles.

Trim the block to 4-3/4" x 4-3/4," taking care to ensure that the points of the center square are 1/4" from the raw edges of the block and are centered on each side.

Repeat this process to join the light block fabric triangles to the block.

Trim the block to 6-1/2 "x 6-1/2," taking care to ensure that the points of the dark fabric diamond are 1/4 from the raw edges of the block and are centered on each side.



Block I (Make 1)

You will need:

- 16 squares 2"x 2" light block fabric
- 8 rectangles 2 "x 3-1/2" dark block fabric


Draw a diagonal line on the wrong side of each of the light block fabric squares 2 "x 2 ".

Place a light block fabric square 2"x 2"on the right side of each of the dark block fabric rectangles 2"x 3-1/2," right sides together and orienting the diagonals as shown. Stitch right along the diagonal line, a hairline more toward the corner to accommodate fabric thickness. Trim seams to 1/4" and press open.


Place a light block fabric square 2 "x 2" on the left side of each of these units, right sides together and orienting the diagonals as shown. Stitch right along the diagonal line, a hairline more toward the corner to accommodate fabric thickness. Trim seams to 1/4" and press open.

Join 4 sets of 2 flying geese each together as shown, pressing seams open.

Arrange the units as shown on the right. Join the blocks into rows pressing the seams in opposite directions. Join the rows, pressing the seams open.







Block J (Make 1)


You will need:


- 4 squares 2-1/2 "x 2-1/2 "and 4 rectangles 1-1/2 "x 2-1/2 "light block fabric
- 1 rectangle 4-1/2"x 2-1/2"and 2 rectangles
 1-1/2"x 2-1/2"dark block fabric

Join a light block fabric rectangle 1-1/2"x 2-1/2" to each of the 2 dark block fabric rectangles 1-1/2"x 2-1/2," as shown on the right, pressing the seams open.

Join the remaining 2 light block rectangles 1-1/2 "x 2-1/2" to each end of the dark block rectangle 4-1/2 " x 2-1/2," as shown on the right, pressing the seams open.

Arrange the units as shown on the right. Join the blocks into rows, pressing the seams open. Join the rows, pressing the seams open.





Block K (Make 1)

You will need:

- 8 squares 2"x 2" and 4 rectangles 2"x 3-1/2" light block fabric
- 4 rectangles 2"x 3-1/2" and 4 squares 2"x 2" dark block fabric


Draw a diagonal line on the wrong side of each of the light block fabric square 2 "x 2" and each dark block fabric square 2 "x 2."

Make 4 flying geese units from the 4 dark block fabric rectangles 2 "x 3-1/2" and the 8 light block fabric squares 2 "x 2" as described in the directions for Block I.


Place a dark block fabric square 2"x 2" on the right side of each of the 4 light block fabric rectangles 2"x 3-1/2," right sides together and orienting the diagonals as shown. Stitch right along the diagonal line, a hairline more toward the corner to accommodate fabric thickness. Trim seams to 1/4" and press open.

Join these units with the flying geese units as shown on the right, pressing seams toward the flying geese.

Join the blocks into rows pressing the seams toward the sideways-pointing geese. Join the rows, pressing the seams open.








Block L (Make 1)

You will need:

- 3 rectangles 1-1/2 "x 6-1/2 " light block fabric
- 3 rectangles 1-1/2 "x 6-1/2" dark block fabric

Join the long edges of the rectangles together to form the striped block as shown on the right, pressing the seams open or toward the darker fabric.




Block M (Make 1)

You will need:

- 2 rectangles 1-1/2 "x 2-1/2" and 2 rectangles 1-1/2 "x 4-1/2 "light block fabric
- 1 square 2-1/2"x 2-1/2," 2 rectangles 1-1/2"x 4-1/2"and 2 rectangles 1-1/2"x 6-1/2"dark block fabric

Join a light block fabric rectangle 1-1/2 "x 2-1/2" to each side of a dark block square 2-1/2 "x 2-1/2." Join a light block fabric rectangle 1-1/2 "x 4-1/2" to the top and bottom of this unit.

Join a dark block fabric rectangle 1-1/2 "x 4-1/2" to the sides of this unit. Join a dark block fabric rectangle 1-1/2 "x 6-1/2" to the top and bottom of this unit.



Quilting videos will be provided on **WeAllSew** during our Quilt Along!